

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"US 20060034388"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/02/27 09:42
S3	3694	375/295	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 10:30
S4	40	((YUJI) near2 (MIZUGUCHI)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:51
S5	36	((NOBUHIKO) near2 (YASUI)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:51
S6	63	((NOBORU) near2 (KATTA)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:51
S7	35	((TAKAHISA) near2 (SAKAI)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:51
S9	22	((YUTAKA) near2 (TAKAHIRA)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:53
S10	33	((HIROTSUGU) near2 (KAWADA)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:53
S12	24	((TOSHITOMO) near2 (UMEI)).INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:53
S13	27	((TAKASHI) near2 (AKITA)). INV.	US-PGPUB; USPAT	OR	ON	2008/02/27 10:53
S14	1	S3 and ((data near map\$3) and (header near map\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:15
S16	62	(data adj map\$3) and (header adj map\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:18
S18	24	(data adj map\$3)and (header adj map\$3)	USPAT	OR	ON	2008/02/27 11:42
S20	83	(data adj map\$3) and (non- data or header) near map\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:54
S21	4	(data adj map\$3) and (non- data or header) near (distinguish\$3 or seperat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 11:55

S22	2	"375"/\$.ccls. and (bi-phase or biphas or (bi near phase \$2))and (map\$3 near data) and (map\$3 near (header or non\$2data or non-data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 12:03
S23	12	"375"/\$.ccls. and (map\$3 near data) and (map\$3 near (header or non\$2data or non-data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 12:04
S24	53	S/PDIF and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 12:44
S25	101	(non-data or nondata or header) same data same (distinguish or separat\$3 or detect\$3) with (signal near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 12:56
S26	26	S25 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:03
S27	1198	header with data same (distinguish or separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:23
S28	104	S27 and (signal near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:24
S29	1	(header adj map\$5) with ((previous or past) near symbol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:25
S30	310	(header adj map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:26
S32	75851	(header near\$3 map\$3) with (data near2 map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:34

S33	2	(header adj map\$3) with (data adj map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 13:34
S34	2	("5903613" "6301308").PN. OR ("7286616").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/27 13:42
S40	344	map\$3 near data with header	US-PGPUB; USPAT	OR	ON	2008/02/27 13:46
S41	37	("375"/\$.ccls. or "370"/\$. ccls. or "455"/\$.ccls.) and (data adj map\$3) and ((header or nondata or non- data or non\$3data or non- data\$3) near2 map\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:05
S44	2	S/PDIF and (data adj map \$3) and (header adj map\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:12
S45	2	(bi-phase or biphas or bi \$2phase\$1) and (data adj map\$3) and (header adj map \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:12
S46	368	375/281,282.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:13
S51	1	S46 and ((distinguish or seperat\$3 or detect\$3) near header with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:15
S52	355	"375"/\$.ccls. and (((distinguish or seperat\$3 or detect\$3) near header with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:16
S55	5	(different\$3 near detect\$4) and (data adj detect\$3) and (header adj detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 14:40
S56	2	((header or preamble or train \$3) adj map\$3) with (data adj map\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:09

S57	958	((header or preamble or train \$3) adj (map\$3 or encod\$3 or modulat\$3)) and (data adj (map\$4 or encod\$3 or modulat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:12
S58	347	S57 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:13
S59	2522	(seperat\$3 or different\$3) near (modulat\$3 or encod \$3) with data and (preamble or train\$3 or header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:31
S60	96	S59 and (biphase or bi-phase or bi\$2phase or biphase\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:32
S61	16394	(modulat\$3 or encod\$3)with (header or sync\$5 or preamble) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:37
S62	18814	(modulat\$3 or encod\$3 or map\$3)with (header or sync \$5 or preamble) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:37
S63	4372	S62 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:37
S64	167	S63 and (bi\$2phase or biphase or bi-phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:38
S65	338	(different or seperat\$3) near (modulat\$3 adj (scheme\$3 or method\$3)) with data and (preamble or header or sync \$5 or train\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:47
S66	14249	(modulat\$3 or encod\$3 or map\$5) with (preamble or trainig or header) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:57

S67	3276	S66 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:58
S68	23	S67 and ((biphase or bi-phase or biphas\$2)adj encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:59
S69	73	OFDM and (modulat\$3 near (scheme\$3 or method\$3)) with (preamble or trainig) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:05
S70	3642	(preamble or header or training) near (map\$3 or encod\$3 or modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:37
S71	168	S70 and (data adj map\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:38
S72	23	(different or seperate or individual) near ((modulat\$3 or map\$3 or encod\$3) adj scheme\$2) with data with (preamble or header or training)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:48
S73	9	(training or preamble or header) same data same BPSK same QPSK same 16QAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 18:09
S74	46	(chang\$3 near pattern) with (preamble or train\$5 or header) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:20
S76	1	detect\$3 near (chang\$3 near pattern) with (preamble or header or train\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:27
S77	772	detect\$3 near pattern with (preamble or header or train\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:27

S78	155	S77 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:29
S79	347	detect\$3 near pattern with (preamble or header or train \$3) with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:36
S80	153	(seperat\$3 or different) near pattern with (preamble or header or train\$3) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:37
S81	406	(pattern adj detect\$3) same (preamble or header) same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:45
S82	87	S81 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 08:45
S83	32	(preamble adj (encod\$3 or generat\$3 or map\$3)) with (data adj (encod\$3 or generat\$3 or map\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 09:15
S84	328	distinguish near symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 18:10
S86	5	distinguish near data near header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 18:14
S87	4	oFDM and (detect\$3 near data near header)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 18:20
S88	8	OFDM and (seperat\$3 or differnt\$5 or distinguish\$3) near data with (header or training or preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/11 18:23
S89	2	"US 20060222117"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:21

S90	498	data and header and (guard adj interval)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:22
S91	154	S90 and (seperat\$3 or distinguish\$3)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:23
S92	2	(distinguish or seperat\$3) near data with (header or train\$5 or preamble)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:31
S93	23	(distinguish or seperat\$3) same data same (header or train\$5 or preamble)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:32
S94	161	(header near encod\$5) and (data near encod\$5) with detect\$3	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:39
S95	148	(header near map\$3) and (data near map\$5)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 09:47
S98	406	(signal near level) with data same header	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:33
S99	80	S98 and "375"/\$.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:33
S101	9	quaternary adj map\$5	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:43
S102	114	quaternary adj (map\$5 or encod\$3 or modulat\$5)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:43
S103	1532	375/295.ccls.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:50
S104	2	S103 and (quaternary near (map\$3 or modulat\$3 or encod\$3))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:51
S105	49	S103 and (bi\$2phaes or biphase\$ or (bi adj phase))	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/03/12 10:51
S110	8	(distinguish\$5 or seperat\$3) with (data) with (header or preamble or train\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:13
S111	92	((data near map\$5) with (non \$3data or header or preamble or train\$5)).cml.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:22
S112	1	("7042965").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/10 15:38

S113	1523	matsushita and (map\$3) and (header or preamble or train \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:41
S114	229	matsushita and (map\$3) and (header or preamble or train \$5) and ("375"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:41
S122	280	data with (signal adj level) with (header or preamble or train\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 15:55
S123	1	("6839006").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/10 17:24
S124	1	("6934102").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/10 17:32
S125	1	("5497404").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/10 17:37
S126	8	matsushita and ((bi\$2phase or biphas e or b-phase) near encod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 17:39
S127	5	("4992790" "5862005" "6278864" "6363107" "6768433").PN. OR ("6839006").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 17:40
S129	323	(header near (map\$3 or encod\$3)) with (data near (map\$3 or encod\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 17:52
S132	24	(header near (map\$3 or encod\$3)) with (data near (map\$3 or encod\$3)) and ("375"/\$.ccls "370"/\$.ccls or "341"/\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 17:53
S133	1	(header near (map\$3 or encod\$3)) with (data near (map\$3 or encod\$3)) with previous	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:12
S135	1	(distinguish\$5 adj symbol) with header	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:15
S136	147	(map\$3 or encod\$3) with header with previous	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:16
S137	1	(map\$3 or encod\$3) with header with (previous adj symbol)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:16

S138	6772	(modulat\$3 or encod\$3) with header with (data or symbol)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:17
S139	3174	(modulat\$3 or encod\$3) with header with (data or symbol) and ("375"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:17
S142	2194	(modulat\$3 or encod\$3) with header with (data or symbol) and ("375"/\$.ccls. or "370"/\$.ccls.) and @ad<="20040112"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:18
S143	58	(modulat\$3 or encod\$3) with header with (data or symbol) same (previous or past near (symbol)) and ("375"/\$.ccls. or "370"/\$.ccls.) and @ad<="20040112"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:19
S144	15340	(detect\$3 or distinguish\$3 or seperat\$3) with (header or preamble or pilot or train\$3) with (data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:23
S145	522	(detect\$3 or distinguish\$3 or seperat\$3) with (header or preamble or pilot or train\$3) with (data) with audio	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:24
S146	409	(detect\$3 or distinguish\$3 or seperat\$3) with (header or preamble or pilot or train\$3) with (data) with audio and @ad<="20040112"	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:24
S147	355	(detect\$3 or distinguish\$3 or seperat\$3) with (header or preamble or pilot or train\$3) with (data) with audio and @ad<="20040112" and (map \$3 or encod\$3 or modulat \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/10 18:24
S148	7348	matsushita and (encod\$3 and decod\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 09:15
S149	25	matsushita and (encod\$3 and decod\$3)and (bi\$2phase or biphase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 09:15

S150	18	("20020106037" "20040028145" "4028667" "4083005" "4547879" "4769839" "4924492" "4982185" "5052021" "5297163" "5303265" "5812594" "5850441" "6157680" "6421323" "6545532" "7003023" "7023868").PN. OR ("7218678").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/11 09:17
S151	3	("5917783" "6233219" "6785213").PN. OR ("7099256").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/11 09:29
S152	1253	(map\$3 or encod\$3 or decod\$3) with ((previous or past) near (signal or level or symbol))	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/11 09:31
S153	7	(map\$3 or encod\$3 or decod\$3) with ((previous or past) near (signal or level or symbol)) and (bi\$1phase or biphas e or bi-phase)	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/11 09:32
S155	1	("6768433").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/11 09:42
S156	33	(data adj modul at\$3) with ((header or preamble or train \$3) near (modulat\$3 or encod\$3 or map\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 09:56
S157	1	("7042965").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2008/06/11 10:02
S158	11	(map\$3 or encod\$3 or modul at\$3 or cod\$5) with (bi \$2phase or manchester or (multi\$1valu\$3 or multivalu e \$3)) same (header near (map \$3 or modul at\$3 or encod\$5 or cod\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:11
S159	25	data with (bi\$3phase) same header	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:34
S160	3	S/PDIF adj frame same (bi \$2phase or biphas e or bi-phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/11 10:37

S161	5	("4992790" "5862005" "6278864" "6363107" "6768433").PN. OR ("6839006").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/11 10:39
------	---	---	---------------------------	----	----	---------------------

6/11/2008 12:07:54 PM

C:\Documents and Settings\dpate13\My Documents\EAST\Workspaces\10530278.wsp